




Вертикальный центробежный насос типа «ин-лайн» ВТР 32




Модель	Габарит (мм)										Вес (кг)	
	D	B1	B2	B3	B4	B5	H1	H2	H3	L1		L2
ВТР 32-18G/2	120	170	142	125	117	144	100	189	540	340	170	36
ВТР 32-21G/2	140	190	155	125	117	144	100	199	592	340	170	40







Вертикальный центробежный насос типа «ин-лайн» ВТР 50



Модель	Габарит (мм)											Вес (кг)
	D	B1	B2	B3	B4	B5	H1	H2	H3	L1	L2	
ВТР50-12G/2	120	170	142	117	115	144	105	174	530	340	170	36
ВТР50-15G/2	140	190	155	117	115	144	105	174	572	340	170	42
ВТР50-18G/2	140	190	155	117	115	144	105	174	572	340	170	44







Вертикальный центробежный насос типа «ин-лайн» ВТР 100



Модель	Габарит (мм)											Вес (кг)
	D	B1	B2	B3	B4	B5	H1	H2	H3	L1	L2	
ВТР100-9G/2	140	175	155	134	101	160	105	211	609	450	225	54
ВТР100-15G/2	160	215	190	134	101	160	105	212	652	450	225	70
ВТР100-17G/2	200	260	205	150	117	144	140	237	787	500	250	98
ВТР100-40G/2	350	350	255	181	152	230	140	266	981	550	275	216
ВТР100-52G/2	400	400	305	181	152	230	140	266	1071	550	275	312

Вертикальный центробежный насос типа «ин-лайн» ВТР 125



Модель	Габарит (мм)											Вес (кг)
	D	B1	B2	B3	B4	B5	H1	H2	H3	L1	L2	
ВТР125-11G/4	200	260	208	216	176	230	215	256	887	620	310	142
ВТР125-14G/4	200	260	208	216	176	230	215	256	887	620	310	152
ВТР125-32G/4	350	330	280	236	208	230	215	316	1136	800	400	376